



**FOXWOLL**

*HUZHOU FOXWOLL INTERNATIONAL TRADE CO., LTD.*

*Add: Longquanwu Ecological Industrial Park, Miaoxi*

*Town, Huzhou City, Zhejiang, China 313000.*

*HP: 0086-18757290675*

*Tel: 0086-2156100*

*Email: sales@foxwoll.com*

*Web: www.foxwoll.com*

# ALLEN WRENCH CATALOG

*Professional hand tool supplier*

# HEX WRENCH

Various types of sets

High strength material

Applicable to various applications



## BALL END



Carbon steel/CR-V/S2



	Specification(MM)	Short Side(MM)	Long Side(MM)
Standard Type	1.5	8	45
	2	8	50
	2.5	17	55
	3	20	67
	4	22	71
	5	25	78
Long Type	6	27	87
	8	35	108
	10	40	110
	1.5	12	68
	2	15	71
	2.5	20	85
Extra Type	3	22	85
	4	27	93
	5	28	120
	6	32	135
	8	40	145
	10	45	160
Extra Type	1.5	17	87
	2	20	92
	2.5	23	110
	3	25	120
	4	27	130
	5	33	155
	6	35	171
	8	40	193
	10	47	220

## TORX END



Carbon steel/CR-V/S2



	Specification(MM)	Short Side(MM)	Long Side(MM)
Standard Type	1.5	8	45
	2	8	50
	2.5	17	55
	3	20	67
	4	22	71
	5	25	78
Long Type	6	27	87
	8	35	108
	10	40	110
	1.5	12	68
	2	15	71
	2.5	20	85
Extra Type	3	22	85
	4	27	93
	5	28	120
	6	32	135
	8	40	145
	10	45	160
Extra Type	1.5	17	87
	2	20	92
	2.5	23	110
	3	25	120
	4	27	130
	5	33	155
	6	35	171
	8	40	193
	10	47	220

**BALL END**



Carbon steel/CR-V/S2



	Specification(MM)	Short Side(MM)	Long Side(MM)
Extended Type	1.5	6.3	100
	2	6.4	113.1
	2.5	8	127.3
	3	9	143.1
	4	12.8	161
	5	13	181
	6	16.3	207
	8	20	232
	10	27	255

**BALL END**



Carbon steel/CR-V/S2



	Specification(MM)	Short Side(MM)	Long Side(MM)
Medium To Long	1.5	14	75
	2	16	80
	2.5	18	87
	3	20	96
	4	24	107
	5	28	120
	6	32	136
	8	36	154
	10	40	172
	Extended Type	1.5	17
2		20	80
2.5		22	92
3		24	100
4		28	108
5		30	120
6		38	140
8		45	155
10		50	180
Extra Length		1.5	20
	2	22	102
	2.5	25	114
	3	29	125
	4	34	141
	5	39	156
	6	46	176
	8	55	197
	10	60	221



**FLAT END**



Carbon steel/CR-V/S2



	Specification	Short Side(MM)	Long Side(MM)
Medium To Long	1.5	14	75
	2	16	80
	2.5	18	87
	3	20	96
	4	24	107
	5	28	120
	6	32	136
	7	34	148
	8	36	154
	10	40	172
Extended Type	1.5	17	77
	2	20	80
	2.5	22	92
	3	24	100
	4	28	108
	5	30	120
	6	38	140
	8	45	155
	10	50	180
	Extra Length	1.5	20
2		22	102
2.5		25	114
3		29	125
4		34	141
5		39	156
6		46	176
8		55	197
10		60	221

**TORX END**



Carbon steel/CR-V/S2




	Specification	Short Side(MM)	Long Side(MM)
Medium To Long	1.5	14	75
	2	16	80
	2.5	18	87
	3	20	96
	4	24	107
	5	28	120
	6	32	136
	7	34	148
	8	36	154
	10	40	172
Extended Type	1.5	17	77
	2	20	80
	2.5	22	92
	3	24	100
	4	28	108
	5	30	120
	6	38	140
	8	45	155
	10	50	180
	Extra Length	1.5	20
2		22	102
2.5		25	114
3		29	125
4		34	141
5		39	156
6		46	176
8		55	197
10		60	221



TORX END



Carbon steel/CR-V/S2




	Specification		
	Short Side(MM)	Long Side(MM)	
Medium To Long	T10	19	85
	T15	21	94
	T20	23	102
	T25	25	111
	T27	28	118
	T30	31	125
Extended Type	T40	35	146
	T45	35	157
	T50	42	170
	T10	19	96.5
	T15	21	108.5
	T20	24	116
Extra Length	T25	25	130
	T27	30	142
	T30	32	161
	T40	35	178
	T45	42	199
	T50	50	226
	T10	19	93
	T15	19	102
	T20	21	113
	T25	24	130
	T27	29	142
	T30	32	165
	T40	38	188
	T45	43	200
	T50	46	225

BALL END



Carbon steel/CR-V/S2



	Specification(MM)		
	Short Side(MM)	Long Side(MM)	
Standard Type	1.5	8	45
	2	8	50
	2.5	17	55
	3	20	67
	4	22	71
	5	25	78
Long Type	6	27	87
	8	35	108
	10	40	110
	1.5	12	68
	2	15	71
	2.5	20	85
Extra Type	3	22	85
	4	27	93
	5	28	120
	6	32	135
	8	40	145
	10	45	160
	1.5	17	87
	2	20	92
	2.5	23	110
	3	25	120
	4	27	130
	5	33	155
	6	35	171
	8	40	193
	10	47	220

HEX END



Carbon steel/CR-V/S2



	Specification(MM)		
	Short Side(MM)	Long Side(MM)	
Extended Type	1.5	14	75
	2	16	80
	2.5	18	87
	3	20	96
	4	24	107
	5	28	120
	6	32	136
	7	34	148
	8	36	151
	10	40	172
Extra Length	12	45	207
	14	56	230
	17	63	250
	19	70	280
	1.5	14	90
	2	16	100
	2.5	18	112
	3	20	126
	4	24	140
	5	28	160
	6	32	180
	7	34	190
	8	36	200
	10	40	224
	12	45	250
	14	56	280
	17	63	314
	19	70	360

BALL END



Carbon steel/CR-V/S2



	Specification(MM)		
	Short Side(MM)	Long Side(MM)	
Standard Type	1.5	8	45
	2	8	50
	2.5	17	55
	3	20	67
	4	22	71
	5	25	78
Long Type	6	27	87
	8	35	108
	10	40	110
	1.5	12	68
	2	15	71
	2.5	20	85
Extra Type	3	22	85
	4	27	93
	5	28	120
	6	32	135
	8	40	145
	10	45	160
	1.5	17	87
	2	20	92
	2.5	23	110
	3	25	120
	4	27	130
	5	33	155
	6	35	171
	8	40	193
	10	47	220

**9PCS HEX KEY SET**



4.5#



	Specification(MM)	Short Side(MM)	Long Side(MM)
Standard Type	1.5	8	45
	2	8	50
	2.5	17	55
	3	20	67
	4	22	71
	5	25	78
	6	27	87
	8	35	108
	10	40	110
	Long Type	1.5	12
2		15	71
2.5		20	85
3		22	85
4		27	91
5		28	120
6		32	135
8		40	145
10		45	160
Extra Type		1.5	17
	2	20	92
	2.5	23	110
	3	25	120
	4	27	130
	5	33	155
	6	35	171
	8	40	193
	10	47	220

**9PCS HEX KEY SET BALL END**



4.5#



	Specification(MM)	Short Side(MM)	Long Side(MM)
Standard Type	1.5	8	45
	2	8	50
	2.5	17	55
	3	20	67
	4	22	71
	5	25	78
	6	27	87
	8	35	108
	10	40	110
	Long Type	1.5	12
2		15	71
2.5		20	85
3		22	85
4		27	93
5		28	120
6		32	135
8		40	145
10		45	160
Extra Type		1.5	17
	2	20	92
	2.5	23	110
	3	25	120
	4	27	130
	5	33	155
	6	35	171
	8	40	193
	10	47	220

**9PCS TORX KEY SET**



40CR



	Specification(MM)	Short Side(MM)	Long Side(MM)
Standard Type	1.5	8	45
	2	8	50
	2.5	17	55
	3	20	67
	4	22	71
	5	25	78
	6	27	87
	8	35	108
	10	40	110
	Long Type	1.5	12
2		15	71
2.5		20	85
3		22	85
4		27	93
5		28	120
6		32	135
8		40	145
10		45	160
Extra Type		1.5	17
	2	20	92
	2.5	23	110
	3	25	120
	4	27	130
	5	33	155
	6	35	171
	8	40	193
	10	47	220

**9PCS HEX KEY SET BALL END**



S2



	Specification(MM)	Short Side(MM)	Long Side(MM)
Standard Type	1.5	8	45
	2	8	50
	2.5	17	55
	3	20	67
	4	22	71
	5	25	78
	6	27	87
	8	35	108
	10	40	110
	Long Type	1.5	12
2		15	71
2.5		20	85
3		22	85
4		27	93
5		28	120
6		32	135
8		40	145
10		45	160
Extra Type		1.5	17
	2	20	92
	2.5	23	110
	3	25	120
	4	27	130
	5	33	155
	6	35	171
	8	40	193
	10	47	220

**6PCS HEX KEY SET**



Carbon steel/CR-V/S2



	Specification	Short Side(MM)	Long Side(MM)
Medium-length	T10	21	74
	T15	21	80
	T20	26	86
	T25	28	97
	T27	31	110
	T30	36	125

**9PCS HEX KEY SET**



Carbon steel/CR-V/S2



	Specification	Short Side(MM)	Long Side(MM)
Medium-length	T10	21	74
	T15	23	80
	T20	26	86
	T25	28	97
	T27	31	110
	T30	36	125
	T40	39	145
	T45	45	165
	T50	49	180

**9PCS HEX KEY SET**



Carbon steel/CR-V/S2



	Specification(MM)	Short Side(MM)	Long Side(MM)
Extended Length	1.5	16	80
	2	18	86
	2.5	20	92
	3	22	102
	4	27	113
	5	31	126
	6	35	144
	8	39	160
	10	49	178

**25PCS HEX KEY SET**



Carbon steel/CR-V/S2



	Specification(MM)	Short Side(MM)	Long Side(MM)	
Standard Type	1.27	13	43	
	1.5	14	45	
	2	17	52	
	2.5	19	57	
	3	22	63	
	4	27	69	
	4.5	28	76	
	5	31	77	
	5.5	35	84	
	6	39	95	
	7	46	101	
	8	44	108	
	10	49	121	
		Specification	Short Side(MM)	Long Side(MM)
		1/16"	16	74
	5/64"	17	82	
	3/32"	18	88	
	7/64"	20	91	
	1/8"	23	98	
	9/64"	25	102	
	5/32"	26	110	
	3/16"	28	117	
	7/32"	31	126	
	1/4"	37	137	
	5/16"	39	152	
	3/8"	43	175	

**9PCS COLORFUL HEX KEY SET BALL END**



	Specification(MM)	Short Side(MM)	Long Side(MM)
Standard Type	1.5	16	50
	2	18	55
	2.5	20	59
	3	23	65
	4	27	71
	5	30	81
	6	34	90
Long Type	8	40	102
	10	47	120
	1.5	16	79
	2	18.5	85
	2.5	20	93
	3	23	102
	4	27	113
Extra Type	5	31	126
	6	35	144
	8	40	160
	10	46	177
	1.5	16	97
	2	18	106
	2.5	21	116

**9PCS HEX KEY SET BALL END**



	Specification(MM)	Short Side(MM)	Long Side(MM)
Extended Length	1.5	6	80
	2	7	96
	2.5	7.5	110
	3	9	128
	4	11	144
	5	13	165
	6	16	185
	8	20	205
	10	27	232

**9PCS COLORFUL HEX KEY SET BALL END**



	Specification(MM)	Short Side(MM)	Long Side(MM)
Standard Type	1.5	15	69
	2	19	76
	2.5	24	88
	3	24	92
	4	28	99
	5	32	120
	6	36	130
	8	39	168
	10	50	174
	Extra Long	1.5	20
2		21	96
2.5		22	108
3		25	121
4		27	134
5		30	155
6		36	172
8		38	188
10		45	220

**9PCS HEX KEY SET**



	Specification(MM)	Short Side(MM)	Long Side(MM)
Medium length	1.5	16	80
	2	18	86
	2.5	20	92
	3	22	102
	4	27	113
	5	31	126
	6	35	144
	8	39	160
	10	49	178

**9PCS BALL END HEX KEY SET**

Carbon steel/CR-V/S2



	Specification(MM)	Short Side(MM)	Long Side(MM)
Medium-length	1.5	16	80
	2	18	86
	2.5	20	92
	3	22	102
	4	27	113
	5	31	126
	6	35	144
	8	39	160
	10	49	178

**9PCS HEX KEY SET**

Carbon steel/CR-V/S2



	Specification(MM)	Short Side(MM)	Long Side(MM)
Extra Length	1.5	16	92
	2	18	100
	2.5	20	113
	3	22	128
	4	28	142
	5	36	158
	6	37	175
	8	43	197
	10	50	225

**9PCS HEX KEY SET**

Carbon steel/CR-V/S2



	Specification(MM)	Short Side(MM)	Long Side(MM)
Extended Length	1.5	15	90
	2	18	105
	2.5	20	115
	3	21	125
	4	25	137
	5	35	155
	6	40	178
	8	45	200
	10	50	225

Color available for case

**30PCS HEX KEY SET**

CR-V



S.A.E SIZE	METRIC SIZES
7/250	0.7
7/200	0.9
1/20	1.3
1/16	1.5
5/64	2
3/32	2.5
7/64	3
1/8	4
9/64	4.5
5/32	5
3/16	5.5
7/32	6
1/4	7
5/16	8
3/8	10

Color available for case



T-HANDLE HEX WRENCH

CR-V



Product Specification

2.5
4
5
8
10
12
14

T-TYPE HEX WRENCH

Carbon steel/CR-V/S2



Specification(MM)	Short Side(MM)	Long Side(MM)
2.5	15	85
3	15	93
4	16	105
5	19	113
6	21	137
8	17	180
10	19	180
12	17	215
14	25	215

25PCS T-HANDLE WRENCH SET

CR-V



1pcs T-Handle Bits Holder

14pcs Bits (6.35\*25mm)

- 4mm,6mm,8m
- PH0,PH1,PH2,PH3
- T10,T15,T20
- PZ0,PZ1,PZ2,PZ3m

1PC ADP(25MM)

9PC 1/4"Socket:

- 5mm,6mm,7mm,8mm,9mm,10mm,11mm,12mm,13mm

T-TYPE HEX WRENCH

Carbon steel/CR-V/S2



Specification(MM)	Short Side(MM)	Long Side(MM)
2.5	15	85
3	15	92
4	16	105
5	19	113
6	21	137
8	17	180
10	19	180
12	17	215
14	25	285

**T-TYPE HEX WRENCH**



Carbon steel/CR-V/S2



	Specification(MM)	Short Side(MM)	Long Side(MM)
Standard Type	2.5	70	130
	3	70	137
	4	73	150
	5	92	173
	6	93	202
	8	95	223
	10	110	257
	12	116	292
	14	120	285

**T-TYPE HEX WRENCH**



Carbon steel/CR-V/S2



	Specification(MM)	Short Side(MM)	Long Side(MM)
Standard Type	3-4-4	115	160mm
	3-4-5	115	160mm
	4-5-5	115	170mm

**T-TYPE HEX WRENCH**



Carbon steel/CR-V/S2



	Specification(MM)	Short Side(MM)	Long Side(MM)
Standard Type	2	82	135
	2.5	86	138
	3	87	145
	4	91	165
	5	100	185
	6	102	195
	8	120	210
	10	125	220

**T-HANDLE HEX WRENCH**



S2



METRIC SIZES(MM)	Short Side(MM)	Long Side(MM)
2.5	126	71
3	120	71
4	120	71
5	130	75
6	67	76.5
8	135	81
10	174	87

**10PCS HEX KEY SET**

 Carbon steel/CR-V/S2



Standard Type	Specification(MM)	Short Side(MM)	Long Side(MM)
	1.5	14	52
	2	17	57
	2.5	20	59
	3	21	64
	3.5	23	64
	4	26	71
	5	28	81
	6	31	91
	8	40	104
	10	45	120

**3IN1 HEX KEY SET**

 Carbon steel/CR-V/S2



Standard Type	Specification(MM)	Short Side(MM)	Long Side(MM)
	2.5	21	21
	3	21	21
	4	21	21
	5	21	21
	6	21	21
	8	21	21

**10PCS HEX KEY SET**

 Carbon steel/CR-V/S2



Standard Type	Specification(MM)	Short Side(MM)	Long Side(MM)
	1.5	14	52
	2	17	57
	2.5	20	59
	3	21	64
	3.5	23	64
	4	26	71
	5	28	81
	6	31	91
	8	40	104
	10	45	120

**9IN1 FOLDING HEX KEY**

  Carbon steel/CR-V/S2



Standard Type	Specification(MM)	Length(MM)	Blade Length(MM)
	1.5	140	32
	2	140	32
	2.5	140	32
	3	140	32
	4	140	32
	4.5	140	32
	5	140	32
	5.5	140	32
	6	140	32

# Folding Hex Wrench

## 9PCS COLORFUL FOLDING HEX WRENCH SET



- Inner Hexagon Specifications : 2/2.5/3/4/5/6 MM
- Torx Specification : 4.5mm
- Slotted Screwdriver Specification : 4.5mm
- Phillips screwdriver specification : 4.8mm

## 8PCS FOLDING TORX KEY SET



TORX
T9
T10
T15
T20
T25
T27
T30
T40

## 8IN1 FOLDING HEX KEY



	Specification(MM)	Length(MM)	Blade Length(MM)
Standard Type	1.5	80	50
	2	80	50
	2.5	80	50
	3	80	50
	3.5	80	50
	4	80	50
	5	80	50
	6	80	50

## 8IN1 FOLDING HEX KEY



	Specification(MM)	Length(MM)	Blade Length(MM)
Standard Type	1.5	100	65
	2	100	67
	2.5	100	50
	3	100	53
	3.5	100	54
	4	100	54
	5	100	60
	6	100	68

**8IN1 FOLDING HEX KEY**



Carbon steel/CR-V/S2



	Specification(MM)	Length(MM)	Blade Length(MM)
Standard Type	1.5	120	53
	2	120	57
	2.5	120	60
	3	120	65
	3.5	120	68
	4	120	64
	5	120	69
	6	120	74

**8IN1 FOLDING HEX KEY**



Carbon steel/CR-V/S2



	Specification(MM)	Length(MM)	Blade Length(MM)
Standard Type	1.5	110	44
	2	110	44
	2.5	110	47
	3	110	48
	4	110	51
	5	110	44
	6	110	47
	8	110	51

**8IN1 FOLDING HEX KEY**



Carbon steel/CR-V/S2



	Specification(MM)	Length(MM)	Blade Length(MM)
Standard Type	1.5	120	53
	2	120	57
	2.5	120	60
	3	120	65
	3.5	120	68
	4	120	64
	5	120	69
	6	120	74

**8IN1 FOLDING HEX KEY**



Carbon steel/CR-V/S2



	Specification(MM)	Length(MM)	Blade Length(MM)
Standard Type	1.5	120	53
	2	120	57
	2.5	120	60
	3	120	65
	3.5	120	68
	4	120	64
	5	120	69
	6	120	74